Revised January 2003



9411 Corsair Road Frankfort, IL 60423 1-800-552-0299 Phone 1-815-464-5650 Fax

# **EMERGENCY PHONE 1-800-255-3924**

# MATERIAL SAFETY DATA SHEETS MP 53021 UV-CURING

#### 1. GENERAL INFORMATION

PRODUCT NAME: MP 53021

CHEMIC AL FAMILY: Ultraviolet light curing adhesives CHEMICAL NAME: Methacrylate esters

## 2. COMPOSITION

Ingredients	CAS No.	%
Urethane methacrylate resin	proprietary	20-40
High boiling acrylate	5888-33-5	20-40
High boiling methacrylate	7534-94-3	10-30
Hydroxyalkyl methacrylate	868-77-9	10-30
ACRYLIC ACID*	79-10-7	1-5
Photoinitiator	24650-42-8	1-3
Substituted silane	2530-83-8	0.1-1

<sup>\*</sup> This component is listed as a SARA Section 313 Toxic Chemical.

Ingredients which have exposure limits

Exposure Limits (TWA) ACGIH OSHA OTHER

Ingredients (TLV) (PEL)

Hydroxyalkyl methacrylate None None 3 ppm ceiling ACRYLIC ACID 2 ppm TWA skin 5.9 mg/m3 skin 10 ppm TWA skin 3 ppm STEL skin

## 3. MAIN HAZARD

Toxicity: Severe eye irritant. Moderate skin irritant.

Primary Routes of Entry: Eyes, skin

Signs and Symptoms of Exposure: May cause dermatitis on prolonged contact in sensitive

individuals.

Existing Conditions Aggravated by Exposure:

None known

## 4. FIRST AID PROCEDURES

Ingestion: Do not induce vomiting. Keep individual calm.

Obtain medical attention.

Inhalation: Does not apply

Skin Contact: Wash with soap and water.

**Eye Contact:** Flush at least 15 minutes with plenty of water. Obtain

medical attention.

None

More than 200°F

## 5. FIRE PROTECTION

Flash Point:

Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Not available Hazardous Products formed by Fire or Thermal

Decomp Irritating organic vapors Unusual Fire or

Explosion Hazards:

# 6. SPILLAGE

Soak up with an inert absorbent. Store in closed container until disposal.



# MATERIAL SAFETY DATA SHEETS MP 53021



## 7. HANDLING AND STORAGE

Safe Storage: Store at or below 100°F

Handling: Avoid prolonged contact with eyes and skin.

8. PERSONAL PROTECTION

Eyes: Safety glasses or goggles.

Skin: Neoprene, rubber, or butyl rubber gloves.

Ventilation: Does not apply Respiratory Not available

9. PHYSICAL AND CHEMICAL DATA

Appearance: Clear liquid Odor: Mild

Boiling Point: More than 300°F pH: Does not apply

Solubility in Water: Slight
Specific Gravity 1.1 at 25°C

Vapor Pressure:

Vapor Density:

Less than 0.5 mmbar at 25°C

Not available

Evaporation Rate (Ether = 1) Not available

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur Incompatibility: None Conditions to Avoid: Not available

Hazardous Decomposition
Products (non-thermal):

None

11. TOXICOLOGICAL INFORMATION

Estimated oral LD50 more than 5000 mg/kg. Estimated dermal LD50 more than 2000 mg/kg.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL INFORMATION

Recommended methods of disposal: Incinerate following EPA and local regulations.

EPA Hazardous Waste

Number

NH - Not a RCRA Hazardous Waste Material



# MATERIAL SAFETY DATA SHEETS MP 53021



## 14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)

Domestic Ground Transport

Proper Shipping Name: Unrestricted Hazard Class or Division: Unrestricted

Identification Number: None Marine Pollutant: None

IATA

Proper Shipping Name: Unrestricted Class or Division: Unrestricted UN or ID Number: None

# Engineering Excellence

For technical information and support call 1-800-552-0299 or visit our website at

