Status: 03/27/2007 Version: 1.4

creating essentials

**ACRYLITE® Acrylic Sheet** 

Page 1 of 6

degussa.

# 1. Chemical Product and Company Identification

# ACRYLITE® Acrylic Sheet

**Synonyms:** Acrylic polymer; For product grades: GP, FF, OP-2, OP-3, OP-4, P-95, P-99, AR, AS, GAR, OD, DP-9, FFX, FFV, FXS, FHG, PO-3, 249, GMS, ACRYLITE<sup>®</sup> Anti-Reflective sheet, ACRYLITE<sup>®</sup> Radiant acrylic sheet, ACRYLITE<sup>®</sup> Sterling Collection, ACRYLITE<sup>®</sup> Crystal ice, ACRYLITE<sup>®</sup> Satin ice, ACRYLITE<sup>®</sup> BR, ACRYLITE<sup>®</sup> Reflections

Supplier:

### **RÖHM AMERICA / CYRO INDUSTRIES**

379 Interpace Parkway Parsippany, NJ 07054-0677

Product Information Number 1-207-490-4242 24 Hour Emergency Number, CHEMTREC 1-800-424-9300

® is a registered trademark

Product Use: acrylic glass

# 2. Composition/Information on Ingredients

This material is classified as not hazardous under OSHA regulations.

IngredientsCAS Reg. No.Weight %acrylic copolymertrade secret100

NJTSR # 56705700001-6739P

See Section 8, Exposure Controls/Personal Protection

#### 3. Hazards Identification

## **Emergency Overview**

Color: colorless or colored

Appearance: sheets Odor: odorless

Under normal conditions of use, this product is not expected to create any unusual industrial hazards.

## **Primary Routes of Exposure**

Eye contact (if exposed to chips)

Status: 03/27/2007 Version: 1.4

creating essentials

ACRYLITE® Acrylic Sheet Page 2 of 6

#### **Potential Health Effects**

#### Inhalation

No hazard expected in normal use.

### **Eye Contact**

No hazard expected in normal use. Material can cause the following:

- mechanical irritation

#### **Skin Contact**

Material can cause the following:

- cuts (when using cut sheets)

### Ingestion

No hazard expected in normal use.

#### **Potential Environmental Effects**

See SECTION 12, Ecological Information

### 4. First Aid Measures

#### **First Aid Procedures**

#### Inhalation

No specific treatment is necessary since this material is not likely to be hazardous by inhalation.

#### Eye Contact

If mechanical irritation occurs flush eyes thoroughly with a large amount of water, consult a physician if irritation persists. (possible during machining processes)

#### **Skin Contact**

No specific treatment is necessary since this material is not likely to be hazardous.

#### Ingestion

Ingestion is not considered a potential route of exposure.

## 5. Fire-Fighting Measures

Flash point not applicable

Autoignition Temperature > 400 °C

> 752 °F

Lower explosion limit not applicable

Upper explosion limit not applicable

OSHA Flammability Classification none

### **Other Flammable Properties**

Use water spray to cool containers exposed to fire.

#### **Extinguishing Media**

Use the following extinguishing media when fighting fires involving this material:

water spray - foam - dry chemical - carbon dioxide

## **Fire Fighting Procedures**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

degussa.

Status: 03/27/2007 Version: 1.4

creating essentials

degussa.

ACRYLITE® Acrylic Sheet Page 3 of 6

#### 6. Accidental Release Measures

### **Procedures**

Collect material and place in a disposal container. Obey relevant local, state, provincial and federal laws and regulations.

See Material Safety Data Sheet section 8, Exposure Controls/Personal Protection.

# 7. Handling and Storage

#### Handling

During thermal processing and/or machining local exhaust ventilation at processing machines is necessary.

## Storage

Storage: dry.

# 8. Exposure Controls/Personal Protection

# **Exposure Limit Information**

# **ACRYLIC COPOLYMER**

trade secret

No Occupational Exposure Values established (ACGIH, OSHA, Canada and Mexico).

## **Engineering Controls (Ventilation)**

If use operations generate dust, use adequate ventilation.

#### **Respiratory Protection**

A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

# **Eye Protection**

goggles for machining operations

#### **Hand Protection**

protective gloves against mechanical risks

## **Other Protective Equipment**

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

# 9. Physical and Chemical Properties

Appearance colorless or colored

Physical state sheets
Odor odorless
Flash point not applicable

Status: 03/27/2007 Version: 1.4

creating essentials

ACRYLITE® Acrylic Sheet

Page 4 of 6

degussa.

pH-value not applicable Viscosity (dynamic) not applicable Specific gravity (water = 1) 1.19 g/cm3 Vapor density (air = 1) not applicable Vapor pressure not applicable **Softening Temperature** not available **Boiling Temperature** not applicable Solubility in water insoluble n-Octanol/water partition not applicable

coefficient

not applicable **Evaporation rate Odor threshold** not available

**Further information** none See Section 5, Fire Fighting Measures

# 10. Stability and Reactivity

# **Stability**

This product is stable under normal storage conditions.

# **Conditions To Avoid**

This material is considered stable.

#### **Incompatibility With Other Materials**

Oxidizing agents. No known incompatibility with other materials.

# **Hazardous Decomposition Products**

In case of thermal decomposition, combustible vapours are formed, which are irritating to eyes and respiratory system, mainly consisting of: methyl methacrylate, Ethyl acrylate

#### **Hazardous Polymerization**

Product will not undergo polymerization.

#### 11. Toxicological Information

#### **Further Information on Toxicology**

The product has not been tested toxicologically. When handled and used as directed the product will not cause hazardous effects to health according to studies on similar products and practical experience.

### 12. Ecological Information

#### Information on Elimination (Persistence and Degradability)

#### **Ecotoxicological Effect**

# **Further Information on Ecology**

The product has not been tested eco toxicologically.

On the basis of the products consistency as well as its low water solubility a bio availability is unlikely. Studies on products with similar composition confirm this assumption.

Status: 03/27/2007 Version: 1.4

creating essentials

ACRYLITE® Acrylic Sheet

Page 5 of 6

degussa.

# 13. Disposal Considerations

#### **Procedures**

Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method. CYRO encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste.

## 14. Transport Information

#### **Further information**

Not subject to the regulations on dangerous goods.

# 15. Regulatory Information

#### INVENTORY INFORMATION

EINECS (EU) listed or exempted TSCA (USA) listed or exempted DSL (CDN) listed or exempted

#### **US FEDERAL REGULATORY INFORMATION**

**NONE** 

# **COMPONENT CLASSIFICATION UNDER CLEAN AIR ACT SECTION 112**

Component / CASRN Weight % HAP EHAP

NONE

# PRODUCT CLASSIFICATION UNDER SECTION 311/312 OF SARA (40CFR370)

**NONE** 

# **US STATE REGULATORY INFORMATION**

Component / CASRN	New Jersey RTK	Pennsylvania RTK	Massachusetts RTK	California Proposition 65 Cancer	California Proposition 65 Reproductive
acrylic copolymer / trade secret	NO	NO	NO	NO	NO

This product contains (a) chemical(s) known to the State of California to cause cancer.

Status: 03/27/2007 Version: 1.4 degussa.

creating essentials

Page 6 of 6

# **ACRYLITE® Acrylic Sheet**

#### **CANADIAN REGULATION**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the MSDS contains all information required by the Controlled Products Regulations.

This is a non-controlled product.

WHMIS: NO

Component / CASRN NPRI

NONE

### 16. Other Information

	Health	Flammability	Physical Hazard	
HMIS-Ratings	0	1	0	
NFPA-Ratings	0	1	0	
	HMIS Hazard Ratings	NFPA Hazaı	NFPA Hazard Ratings	
	4 = severe 3 = serious 2 = moderate 1 = slight 0 = minimal N = no rating for powders * = chronic health hazard	4 = extreme 3 = high 2 = moderat 1 = slight 0 = insignific N = no rating		

This MSDS was prepared in accordance with ANSI Z400.1-1998.

Places marked by | have been amended from the last version.

This information and all further technical advice are based on Degussa's present knowledge and experience. However, Degussa assumes no liability for providing such information and advice including the extent to which such information and advice may relate to existing third party intellectual property rights, especially patent rights. In particular, Degussa disclaims all CONDITIONS AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. DEGUSSA SHALL NOT BE RESPONSIBLE FOR CONSEQUENTIAL, INDIRECT OR INCIDENTAL DAMAGES (INCLUDING LOSS OF PROFITS) OF ANY KIND. Degussa reserves the right to make any changes according to technological progress or further developments. It is the customer's responsibility and obligation to carefully inspect and test any incoming goods. Performance of the product(s) described herein should beverified by testing and carried out only by qualified experts. It is the sole responsibility of the customer to carry out and arrange for any such testing. Reference to trade names used by other companies is neither a recommendation, nor an endorsement of any product and does not imply that similar products could not be used.

Date of printing: 09/19/2007