Revised June 2002



9411 Corsair Road Frankfort, IL 60423 1-800-552-0299 Phone 1-815-464-5650 Fax

EMERGENCY PHONE 1-800-255-3924 MATERIAL SAFETY DATA SHEETS

PRIMER N HMIS; HEALTH 1 FLAMMABILITY 3 REACTIVITY 0 **NFPA** 3 HEALTH 1 FIRE HAZARD REACTIVITY 0 1. GENERAL INFORMATION PRODUCT NAME: PRIMER N TECHINCAL NAME: 2. COMPOSITION **INGREDIENT:** CAS# % n-Heptane 142-82-5 95-100 **Substituted Amidine** 99-97-8 1-5 3. CHEMICAL AND PHYSICAL INFORMATION APPEARANCE: Clear Liquid Aliphatic Odor ODOR: SPECIFIC GRAVITY: 0.68 205 - 210°F BOILING POINT: SOLUBILITY IN WATER: immiscible VAPOR DENSITY: 3.45 VAPOR PRESSURE: 35 mm @ 68°F VOLATILE ORGANIC COMPOUND (EPA Method 24): 99.9% ; 680 grams/liter EVAPORATION RATE (Ether = 1): 27 pH: Does not apply **APPEARANCE:** Clear liquid 4. FIRE AND EXPLOSION HAZARD DATA: FLASH POINT: 30°F (method used TCC.) FLAMMABLE LIMITS UEL = N/ALEL = N/AEXTINGUISHING MEDIA Carbon Dioxide, dry chemicals, water NOTE: SEE SECTION FOR PERSONAL PROTECTION **Explosive Limits:** % by volume in air (LOWER) 1.1% % by volume in air (UPPER) 6.7% Carbon Dioxide, foam, dry chemicals **RECOMMENDED EXTINGUISHING AGENTS:** SPECIAL FIRE FIGHTING PROCEDURES: NONE UNUSUAL FIRE and EXPLOSION HAZARDS NONE HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION: Irritating Organic Vapors COMPRESSED GASES: None PRESSURE AT ROOM TEMPERATURE: Does Not Apply. 5. SPILL OR LEAK & DISPOSAL DATA:

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:

RECOMMENDED METHOD OF DISPOSAL:

Maintain good ventilation. Avoid ignition sources. Soak up remainder in an inert absorbent and store in a closed container until disposal. Incinerate following EPA federal, state and local regulations.





6. STORAGE AND HANDLING PROCEDURES:

STORAGE:

HANDLING:

Store below 120°F in a tightly closed container away from oxidizing materials and sources of ignition.

Keep away from open flame. Avoid prolonged breathing of vapors. Avoid skin or eye contact.

7. SHI	PPING PROCEDURES:					
	DOT (49 CFR 172)					
	DOMESTIC GROUND TRANSPORT					
	PROPER SHIPPING NAME:	Consumer Commodity (not more than				
		One liter);				
	PRIMARY ROUTES OF ENTRY:	Heptane: Inhalation, ingestion, contact				
	SIGNS & SYMPTOMS OF EXPOSURE:		Dizziness, anesthesia, unconsciousness.			
	EXISTING CONDITIONS:					
	AGGRAVATED BY EXPOSURE:		None known			
	Exposure Limits (TWA)		ACGIH	OSHA		Other
	(((TLV)	(PEL)		
	n-Heptane		400 ppm (TWA)	500 ppm (TWA)		None
			1640 mg/M3	1600 mg/M3		
			to to highlio	rooo mg/mo		
	Exposure Limits (STEL)		500 ppm	500 ppm		
			2050 mg/M3	2000 mg/M3		
			2000 mg/mo	2000 mg/mo		
	Ingredients for which no Exposure Limits have been established are not listed above.					
			Literature Referenced		Carcino	ogen
	INGREDIENTS		Target organ & Other Health	NTP	IARC	
			Effects.			
	N-Heptane		Nervous System	NO	NO	NO
	Substituted Amidine	Ν	o Data	NO	NO	NO
			Heptane Solution (More than one liter)			
	HAZARD CLASS OR DIVISION:		ORM-D (Not more than one liter;) Class 3, Packing Group II			
	IDENTIFICATION NO:		None (Not more than one Liter);			
			UN 1206 (More than one	liter)		
	MARINE POLLUTANTS:		None			
	IATA					
	PROPER SHIPPING NAME:		Heptane Solution			
			CLASS OR DIVISION:			
			Class 3, Packing Group II			
	UN OR ID NUMBER:		UN 1206			

8. REACTIVITY DATA:

STABILITY: HAZARDOUS POLYMERIZATION:	Stable Will not occur	
HAZARDOUS DECOMPOSITION PRODUCTS (NON-THERMAL): INCOMPATIBILITY:	None Strong Oxidizers	

9. EMERGENCY TREATMENT PROCEDURES:

INGESTION: INHALATION:

SKIN CONTACT: EYE CONTACT: Induce vomiting. Obtain medical attention Remove to fresh air. If Symptoms persist, obtain medical attention. Wash with soap and water. Flush at least 15 minutes with water. Obtain medical attention.



MATERIAL SAFETY DATA SHEETS PRIMER N



10. PERSONAL PROTECTION:

EYES: SKIN: VENTILATION: Safety Glasses or Goggles. Rubber or Plastic Gloves Adequate to avoid exceeding TLV

11. HEALTH HAZARD DATA:

TOXICITY:

Eye irritant. Anesthetic. Moderately toxic by ingestion. Residue after evaporation of solvent destructive to tissue of the mucous membranes, and upper respiratory tract, eyes and skin

Engineering Excellence

For technical information and support call **1-800-552-0299** or visit our website at



Page 3 of 3